NUMMONTHS

Updated: 31 Mar 2016

Use NUMMONTHS to return the number of months between 2 dates

Syntax

```
Public Shared Function NUMMONTHS(
    ByVal StartDate As Date,
    ByVal EndDate As Date,)
```

Arguments

StartDate

the start date *StartDate* is an expression that returns a **Date**, or of a type that can be implicitly converted to **Date**.

EndDate

the end date. *EndDate* is an expression that returns a **Date**, or of a type that can be implicitly converted to **Date**.

Return Type

Integer

Remarks

- If *StartDate* is NULL then *StartDate* equals the current system date.
- If *EndDate* is NULL then *EndDate* equals the current system date.
- For calculation purposes all dates are treated as if they are the last day of the month

See Also

- CALCDATE - Convert MDY to date
- DATEFLOAT - Convert MDY to float
- DATEINT - Convert MDY to int
- DAYS360 - Calculate number of days using 30/360 day count conventions
- DAYSINMONTH - Number of days in the month of the specified date
- DAYSINYEAR - Number of number of days in the year of the specified date
- DAYSNL - Number of days excluding Leap Years
- EASTER - Date of Western Easter for a given year
- EDATE - Exact date n months from specified date
- EOMONTH - Last day of month
- FIRSTWEEKDAY - First specified day of the week in any calendar month
- ISREGULARPAY - Determine if a date is a regular payment date for a loan
- LASTWEEKDAY - Last specified day of the week in any calendar month
- NBD - Convert a series of dates to flat csv string in YYYYMMDD format

- YEARFRAC - Fraction of a year between two dates